Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section.

T O B A C C O S T O C K S R E P O R T

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS JANUARY 1, 1931

Washington, D. C.
February 14, 1931.

EXPLANATION OF GROUP SYMBOLS.

GROUPS OF TYPES 11, 12, 13 and 14:
- A-Wrappers
- B-Heavy Leaf, Cutting Leaf, and Fillers.
- C-Thin Leaf or Cutters.
- X-Lugs and Ground Leaves.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 21, 22, 23 and 24:
- A-Wrappers.
- B-Heavy Leaf.
- C-Thin Leaf.
- X-Lugs.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 31:
- A-Wrappers.
- B-Leaf or Fillers and Tips.
- C-Lugs or Cutters.
- X-Trash, Flyings, and Spods.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 32:
- B-Heavy Leaf, locally known as Dull Crop.
- C-Thin Leaf, locally known as Bright Crop.
- X-Seconds and Ground Leaves.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 35, 36 and 37:
- A-Wrappers.
- B-Heavy Leaf.
- C-Thin Leaf.
- X-Lugs.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 41:
- B-Binders or Tops.
- C-Fillers, locally known as Wrappers or B's.
- X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 42, 43 and 44:
- C-Fillers, locally known as Wrappers.
- X-Stemming, Farm Fillers, Ground Leaves and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 45:
- C-Fillers.
- X-Stemming, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 46:
- C-Tripas or Fillers.
- X-Resagos, Terceros, Boliches, and crops unsuitable for sorting.
- S-Scrap (Picadura), as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 51, 52 and 53:
- A-Wrappers.
- B-Binders, locally known as Seconds.
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 54 and 55:
- B-Binders.
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Bottom Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 61 and 62:
- A-Wrappers.
- B-Binders.
- C-Fillers, or Tips.
- X-Trashy Fillers or Loose Leaves.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

---

* For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS.
SUPPLEMENTAL REPORT BY GROUPS OF GRADES.
JANUARY 1, 1931.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	New Crop		Old Crop		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	7,533	1	872	-	8,406	7,324
B	92,007	6,904	1,729	596	101,236	57,426
C	101,171	8,274	733	118	110,296	86,032
X	102,191	17,730	6,263	178	126,362	83,037
S	4,334	146	387	122	4,989	4,438
N	389	-	4	-	393	196
Total	307,625	33,055	9,988	1,014	351,682	238,453

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED.

A	236	-	-	-	236	118
B	66,409	1,405	84	13	67,911	34,730
C	86,717	4,192	119	545	91,573	80,833
X	98,204	15,885	926	2	115,017	79,173
S	3,982	702	183	-	4,867	1,686
N	318	10	-	-	328	466
Total	255,866	22,194	1,312	560	279,932	197,006

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN NC)

A	801	2	-	-	803	717
B	32,504	711	93	48	33,356	29,627
C	33,146	2,952	14	-	36,112	43,066
X	58,750	8,512	321	2	67,585	65,386
S	801	171	3	77	1,052	1,711
N	296	-	-	-	296	128
Total	126,298	12,348	431	127	139,204	140,635

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED.

A	673	-	-	-	673	735
B	16,680	7,288	34	-	24,002	24,520
C	8,102	40,648	4	1	48,755	54,424
X	13,706	10,392	102	-	24,200	31,104
S	384	92	1	-	477	804
N	58	-	-	-	58	87
Total	39,603	58,420	141	1	98,165	111,675

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Group	New Crop: Unstemmed 1000 lbs.	New Crop: Stemmed 1000 lbs.	Old Crop: Unstemmed 1000 lbs.	Old Crop: Stemmed 1000 lbs.	January 1 Group Totals: 1000 lbs.	October 1 Group Totals: 100 lbs.
A	1,254	-	86	-	1,340	1,053
B	4,310	212	5,185	-	9,707	9,322
C	2,016	1	142	-	2,159	1,309
X	15,642	350	3,898	-	19,890	15,918
S	190	-	21	-	211	265
N	85	-	-	-	85	44
Total	23,497	563	9,332	-	33,392	27,917

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H&S)

A	2,680	-	13	-	2,693	3,407
B	58,314	1,728	92	-	60,134	65,315
C	5,659	83	62	-	5,804	7,891
X	9,486	-	95	-	9,581	9,672
S	742	3	23	-	768	819
N	283	-	-	-	283	485
Total	77,164	1,814	285	-	79,263	87,589

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED(WESTERN DISTRICT M & P)

A	266	1	1	-	268	343
B	14,700	573	19	-	15,292	16,406
C	2,737	-	24	2	2,763	1,497
X	2,667	-	48	-	2,715	849
S	193	5	6	-	204	334
N	46	-	-	-	46	37
Total	20,609	579	98	2	21,288	19,467

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

A	90	-	-	-	90	35
B	1,442	134	-	-	1,576	152
C	356	-	-	-	356	6
X	1,211	11	3	-	1,225	445
S	522	1	2	-	525	90
N	16	-	-	-	16	8
Total	3,637	146	5	-	3,788	736

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY.

Group	New Crop: Unstemmed 1000 lbs.	New Crop: Stemmed 1000 lbs.	Old Crop: Unstemmed 1000 lbs.	Old Crop: Stemmed 1000 lbs.	January 1 Group Totals 1000 lbs.	October 1 Group Totals 1000 lbs.
A	1,467	2	8	-	1,477	1,546
B	165,591	28,135	595	1,376	195,697	176,172
C	125,294	9,262	716	1,097	136,369	127,648
X	58,428	7,170	303	410	66,311	59,069
S	5,551	721	462	-	6,734	8,250
N	965	-	4	-	969	347
Total	357,296	45,290	2,088	2,883	407,557	373,032

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	517	-	6	-	523	2,005
C	14,084	785	6	-	14,875	12,323
X	1,485	58	7	1	1,551	2,704
S	55	-	-	-	55	66
N	34	-	-	-	34	70
Total	16,175	843	19	1	17,038	17,167

U. S. TYPE 35.-ONE SUCKER.

A	1,153	-	8	-	1,161	1,181
B	12,222	3	137	2	12,364	11,436
C	7,508	-	57	-	7,565	5,473
X	6,879	206	162	-	7,247	6,348
S	373	-	9	-	382	397
N	461	-	-	-	461	289
Total	28,596	209	373	2	29,180	25,123

U. S. TYPE 36.-GREEN RIVER.

A	434	-	-	-	434	264
B	9,126	409	1,762	65	11,362	9,767
C	1,503	-	835	-	2,338	1,666
X	11,055	437	878	31	12,401	11,358
S	776	2	16	32	826	721
N	8	-	-	-	8	9
Total	22,902	848	3,491	128	27,369	23,786

U. S. TYPE 37.-VIRGINIA SUN-CURED.

A	132	-	21	-	153	220
B	776	39	180	94	1,089	1,117
C	604	3	44	10	661	712
X	688	1,179	-	29	1,896	1,764
S	54	2	-	-	56	64
Total	2,254	1,223	245	133	3,855	3,878

(Figures rounded to nearest thousand pounds.)

U. S. TYPE 41.-PENNSYLVANIA SEED LEAF.

Group	New Crop Unstemmed 1000 lbs.	New Crop Stemmed 1000 lbs.	Old Crop Unstemmed 1000 lbs.	Old Crop Stemmed 1000 lbs.	January 1 Group Totals 1000 lbs.	October 1 Group Totals 1000 lbs.
B	1,419	441	16	-	1,876	4,177
C	46,083	3,974	3,001	313	53,371	62,516
X	9,501	3,587	176	2	13,266	12,667
S	9	258	1	3	271	231
N	6	-	-	-	6	1
Total	57,018	8,260	3,194	318	68,790	79,592

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

C	7,633	751	750	209	9,343	11,025
X	1,069	18	-	21	1,108	1,311
S	3	24	-	-	27	26
N	11	1	-	-	12	34
Total	8,716	794	750	230	10,490	12,395

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY.

C	9,711	754	1,926	97	12,488	14,817
X	1,414	545	264	20	2,243	2,882
S	69	25	1	-	95	59
N	1	-	-	-	1	8
Total	11,195	1,324	2,191	117	14,827	17,766

U. S. TYPE 44.-DUTCH, MIAMI VALLEY.

C	3,823	34	499	40	4,396	5,305
X	703	56	6	-	765	923
S	3	19	-	-	22	37
N	2	-	-	-	2	X
Total	4,531	109	505	40	5,185	6,266

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN.

C	1,341	633	6	7	1,987	2,296
X	2	-	-	-	2	2
S	-	43	-	-	43	45
N	1	-	-	-	1	3
Total	1,344	676	6	7	2,033	2,345

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

C	2,148	17,763	119	6	20,036	17,006
X	1,916	3,568	-	-	5,484	4,877
S	281	1,456	1	1	1,739	1,580
N	1	24	-	-	25	47
Total	4,346	22,811	120	7	27,284	23,510

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF.

Group	New Crop: Unstemmed 1000 lbs.	New Crop: Stemmed 1000 lbs.	Old Crop: Unstemmed 1000 lbs.	Old Crop: Stemmed 1000 lbs.	January 1 Group Totals 1000 lbs.	October 1 Group Totals 1000 lbs.
A	2,575	3	79	-	2,657	2,464
B	11,368	104	1,019	24	12,515	15,536
C	854	81	117	-	1,052	768
X	4,940	1,912	-	287	7,139	5,916
S	4	65	-	5	74	116
N	1	-	-	-	1	10
Total	19,742	2,165	1,215	316	23,438	24,809

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED.

A	2,049	4	55	-	2,108	2,808
B	19,262	28	2,523	7	21,820	21,483
C	1,322	23	11	-	1,356	1,449
X	4,422	2,928	-	6	7,356	7,141
S	2	8	-	-	10	18
N	89	-	-	-	89	-
Total	27,146	2,991	2,589	13	32,739	32,898

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED.

A	40	-	3	-	43	70
B	404	-	39	-	443	394
C	236	31	2	-	269	217
X	1,985	88	-	-	2,073	1,473
S	5	4	-	-	9	12
Total	2,670	123	44	-	2,837	2,166

U. S. TYPE 54.-SOUTHERN WISCONSIN.

B	7,771	23	600	154	8,548	9,507
C	3,119	83	2	-	3,204	3,695
X	22,674	9,717	318	32	32,741	37,879
S	13	66	-	-	79	62
Total	33,577	9,889	920	186	44,572	51,143

U. S. TYPE 55.-NORTHERN WISCONSIN.

B	13,475	72	348	1	13,896	15,775
C	1,672	63	17	-	1,752	2,253
X	9,483	3,543	-	-	13,026	16,026
S	10	34	1	-	45	61
N	-	-	-	-	-	16
Total	24,640	3,712	366	1	28,719	34,131

(Figures rounded to nearest thousand pounds.)

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE.

Group	New Crop: Unstemmed 1000 lbs.	New Crop: Stemmed 1000 lbs.	Old Crop: Unstemmed 1000 lbs.	Old Crop: Stemmed 1000 lbs.	January 1 Group Totals 1000 lbs.	October 1 Group Totals 1000 lbs.
A	7,556	22	30	-	7,608	6,641
B	2,858	83	17	-	2,958	2,251
C	743	45	67	4	859	1,132
X	211	13	-	-	224	30
S	9	102	-	-	111	106
N	11	-	-	-	11	2
Total	11,388	265	114	4	11,771	10,162

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

A	4,159	212	2	-	4,373	5,145
B	671	6	32	-	709	560
C	34	1	-	-	35	120
X	41	-	-	-	41	57
S	3	1	-	-	4	31
N	2	1	-	-	3	8
Total	4,910	221	34	-	5,165	5,921

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC.

No Groups:	1,978	616	18	111	2,723	2,918

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO.

No Groups:	5,797	7,675	181	36	13,689	14,520

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF.

No Groups:	63,759	37	3,704	1	67,501	61,993

GRAND TOTAL ALL TYPES.

	New Crop: Unstemmed 1000 lbs.	New Crop: Stemmed 1000 lbs.	Old Crop: Unstemmed 1000 lbs.	Old Crop: Stemmed 1000 lbs.	Grand Total
January 1, 1931	1,594,279	239,200	43,759	6,238	1,883,476
October 1, 1930	1,387,458	226,198	31,510	3,836	1,649,000

(Figures rounded to nearest thousand pounds.)